

Poly EncorePro 520 Binaural Headset +Quick Disconnect

- Active
- 783P7AA
- NG

Specifications

All Specs

Boom mic length (mm)	135 mm
Boom mic rotation	290°
Cable length	78.5 cm
Cartons per layer	5
Cartons per pallet	20
Certified collaboration software	Skype for Business
Color	Black
Compatibility	Compatible with PCs via QD (Quick-Disconnect)
Compatible Operating Systems	Windows 11; Windows 10; macOS
Connection type	Wired: QD (Quick-Disconnect)
Connects to	Desk phone; PC
Country of origin	Made in Mexico
Dimensions (W x D x H)	11.1 x 14.9 x 6.7 cm
ECCN	EAR99
End of Life CO2e (kg)	0.1
Headphone type	On-ear (stereo)
HTS code	8518302000
Layers per pallet	4
Manufacturer product number	89434
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT

Microphone bandwidth	20 Hz to 16 kHz
Microphone type	Noise cancelling
Multiple order quantity	1
Package dimensions (W x D x H)	137.9 x 178.05 x 54.6 mm
Package weight	7600 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 167.6 cm
Pallet weight	357 kg
Production CO2e (kg)	5
Products per pallet	960
Products per pallet layer	240
Registration required	No
Sensitivity (microphone)	-40 +/-3 dB
Signal-to-noise ratio	>50 dB
Speaker bandwidth	150 Hz to 6.8 kHz
Speaker size	30 mm
Total CO2e (kg)	10
Transportation CO2e (kg)	0.1
UNSPSC code	43191609
UPC number	197961801248
Weight	74 g
What's in the box	Headset
Logistics	
ECCN	EAR99
HTS code	8518302000
UPC number	197961801248

What's in the box	Headset
Cable length	78.5 cm
Package dimensions (W x D x H)	137.9 x 178.05 x 54.6 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 167.6 cm
Dimensions (W x D x H)	11.1 x 14.9 x 6.7 cm
Country of origin	Made in Mexico
Cartons per layer	5
Cartons per pallet	20
Multiple order quantity	1
Layers per pallet	4
Products per pallet	960
Products per pallet layer	240
Manufacturer product number	89434
Material Type for item	FERT
UNSPSC code	43191609
Package weight	7600 g
Pallet weight	357 kg
Weight	74 g

Sustainability

Country of origin	Made in Mexico
-------------------	----------------

End of Life CO2e (kg)	0.1
-----------------------	-----

Energy Usage CO2e (kg)	3
------------------------	---

Production CO2e (kg)	5
----------------------	---

Total CO2e (kg)	10
-----------------	----

Transportation CO2e (kg)	0.1
--------------------------	-----

Specifications

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Legal disclaimer