

Poly Blackwire C3225 Top

Active

7S4M7AA

NG

Specifications

All Specs

Boom mic length (mm)	130 mm
Boom mic rotation	270°
Cable length	227 cm
Cartons per layer	6
Cartons per pallet	36
Certified collaboration software	Works With Chromebook certified
Color	Black
Compatibility	Compatible with PCs via 3.5 mm audio jack.
Compatible Operating Systems	Windows 11; Windows 10; macOS; Android™; iOS
Connection type	Wired: 3.5 mm audio
Connects to	PC
Country of origin	Made in Mexico
Dimensions (W x D x H)	155 x 32 x 178 mm
ECCN	EAR99
Headphone type	On-ear (stereo)
HTS code	8518302000
Impedance	32 ohms
Layers per pallet	6
Manufacturer product number	211058-01
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT

Microphone bandwidth	100 Hz to 10 kHz
Microphone type	Noise cancelling
Multiple order quantity	25
Package dimensions (W x D x H)	185 x 56 x 207 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 152 cm
Pallet weight	396 kg
Products per pallet	900
Products per pallet layer	150
Registration required	No
Sensitivity (microphone)	-45 dBV/Pa
Sensitivity (speaker)	88 dB SPL
Speaker bandwidth	200 Hz to 6.8 kHz (speech mode); 20 Hz to 20 kHz (media mode)
Speaker size	28 mm
UNSPSC code	43191638
Weight	87 g (with cable); 64 g (without cable)
What's in the box	Headset (top only)

Logistics

ECCN	EAR99
HTS code	8518302000
What's in the box	Headset (top only)
Cable length	227 cm
Package dimensions (W x D x H)	185 x 56 x 207 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 152 cm
Dimensions (W x D x H)	155 x 32 x 178 mm

Country of origin	Made in Mexico
Cartons per layer	6
Cartons per pallet	36
Multiple order quantity	25
Layers per pallet	6
Products per pallet	900
Products per pallet layer	150
Manufacturer product number	211058-01
Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	396 kg
Weight	87 g (with cable); 64 g (without cable)

Specifications

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Legal disclaimer