

Poly Savi 7310 Office DECT 1880-1900 MHz Single Ear Headset

- Active
- 8D3G3AA
- NG

Specifications

All Specs

Audio	Microsoft Teams Open Office certified; Microphone noise cancellation with Acoustic Fence technology
Base controls	Desk phone configuration; Softphone selector
Base ringer	Incoming calls (when not wearing the headset)
Battery life	Up to 13 hours (talk time); Up to 52 hours (standby time)
Battery type	Rechargeable Li-ion polymer
Cartons per layer	10
Cartons per pallet	60
Certified collaboration software	Google Meet certified; Works With Chromebook certified
Charge time	<2 hours
Charging type	2-way base
Color	Black
Compatibility	Compatible with desk phones via USB Type-A cable, RJ-11 cable or DECT™
Compatible Operating Systems	Windows 11; Windows 10; macOS
Connection type	Wireless: DECT™; Wired: USB Type-A, RJ-11
Connects to	Desk phone; PC
Country of origin	Made in Mexico
ECCN	5A992
End of Life CO2e (kg)	0.2
Headphone type	On-ear (monaural)
HTS code	8517620090
Indicator light	On call

Layers per pallet	6
Management Software	Poly Lens
Manufacturer product number	214778
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT
Microphone bandwidth	100 Hz to 10 kHz
Microphone type	Noise cancelling
Multiple order quantity	5
Package dimensions (W x D x H)	185 x 210 x 115 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Production CO2e (kg)	8
Products per pallet	300
Products per pallet layer	50
Registration required	No
Security	AES 256 bits encryption; DECT™ security certified; AES 128 bits authentication
Speaker bandwidth	20 Hz to 20 kHz (multimedia mode); 100 Hz to 6.8 kHz (wideband mode)
Speaker size	14.2 mm
Total CO2e (kg)	20
Transportation CO2e (kg)	0.3
UNSPSC code	43191638
UPC number	196548579112
Voice alerts	Volume maximum; Volume minimum; Mute on; Mute off; Muted; Connection status; Talk time; Battery low
What's in the box	Quick start guide; Wireless headset; Office base; Telephone cable; Micro USB to Type-A cable; Micro USB to Type-C® cable; USB Type-C® to USB Type-A cable

Wireless range	Up to 180 m in open area; Up to 55 m in typical office environment
Logistics	
ECCN	5A992
HTS code	8517620090
UPC number	196548579112
What's in the box	Quick start guide; Wireless headset; Office base; Telephone cable; Micro USB to Type-A cable; Micro USB to Type-C® cable; USB Type-C® to USB Type-A cable
Package dimensions (W x D x H)	185 x 210 x 115 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Country of origin	Made in Mexico
Cartons per layer	10
Cartons per pallet	60
Multiple order quantity	5
Layers per pallet	6
Products per pallet	300
Products per pallet layer	50
Manufacturer product number	214778
Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	357 kg
Sustainability	
Country of origin	Made in Mexico
End of Life CO2e (kg)	0.2
Energy Usage CO2e (kg)	7

Production CO2e (kg)	8
Total CO2e (kg)	20
Transportation CO2e (kg)	0.3

Specifications

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

[3] Requires downloadable software on Poly.com/lens. Host PC requires Windows 10 or higher.

Legal disclaimer